

ENDURANCE SPRINGS

1000 SERIES											
Part Number	Desc.	O.D.	I.D. Outer	I.D. Middle	I.D. Inner	Seat Pressure	Open Pressure	Rate Lb./In.	Retainer Step	Max Lift	Coil Blind
CT1043XL	Dual	1.580"	1.160"	N/A	.835"	235lbs@1.950"	600lbs@1.250"	521	.100"	.700"	1.170"
1200 SERIES											
Part Number	Desc.	O.D.	I.D. Outer	I.D. Middle	I.D. Inner	Seat Pressure	Open Pressure	Rate Lb./In.	Retainer Step	Max Lift	Coil Blind
CT1205D	Single w/Damper	1.530"	1.115"	N/A	N/A	120lbs@1.875"	350lbs@1.225"	354	.000"	.650"	1.110"
CT1225	Dual	1.445"	1.060"	N/A	.775"	140lbs@1.950"	435lbs@1.200"	393	.070"	.750"	1.100"
CT1225ML	Dual	1.445"	1.060"	N/A	.775"	140lbs@1.950"	435lbs@1.200"	393	.070"	.750"	1.100"
CT1226	Dual	1.460"	1.060"	N/A	.765"	195lbs@2.000"	525lbs@1.250"	440	.070"	.750"	1.150"
CT1227	Dual	1.560"	1.150"	N/A	.825"	200lbs@2.000"	555lbs@1.275"	490	.100"	.725"	1.170"
CT1240	Dual	1.500"	1.085"	N/A	.790"	250lbs@2.030"	610lbs@1.250"	462	.100"	.780"	1.200"
CT1242	Dual	1.580"	1.160"	N/A	.835"	248lbs@2.050"	640lbs@1.270"	503	.100"	.780"	1.200"
CT1242D	Damper	1.580"	1.155"	N/A	.755"	250lbs@2.050"	650lbs@1.270"	513	.070"	.780"	1.200"
CT1243	Dual	1.580"	1.160"	N/A	.835"	230lbs@2.000"	610lbs@1.270"	521	.100"	.730"	1.200"
CT1244	Dual	1.610"	1.160"	N/A	.835"	235lbs@2.050"	640lbs@1.300"	540	.100"	.750"	1.220"
CT1245	Dual	1.610"	1.160"	N/A	.835"	275lbs@2.050"	680lbs@1.300"	540	.100"	.750"	1.230"
1500 Series											
Part Number	Desc.	O.D.	I.D. Outer	I.D. Middle	I.D. Inner	Seat Pressure	Open Pressure	Rate Lb./In.	Retainer Step	Max Lift	Coil Blind
LS1511ML	Beehive	1.290"	.630"	N/A	N/A	120lbs@1.800"	360lbs@1.175"	384	.000"	.625"	1.100"
LS1512ML	Dual	1.275"	.935"	N/A	.665"	130lbs@1.800"	395lbs@1.150"	408	.100"	.650"	1.070"
LS1513ML	Dual	1.280"	.895"	N/A	.625"	220lbs@1.800"	540lbs@1.210"	542	.100"	.590"	1.160"
CT1526ML	Dual	1.460"	1.060"	N/A	.765"	195lbs@2.000"	530lbs@1.250"	447	.070"	.750"	1.150"
CT1539ML	Dual	1.500"	1.085"	N/A	.790"	200lbs@2.000"	575lbs@1.220"	481	.100"	.780"	1.150"
CT1540ML	Dual	1.500"	1.085"	N/A	.790"	250lbs@2.030"	610lbs@1.250"	462	.100"	.780"	1.180"
CT1541ML	Dual	1.510"	1.085"	N/A	.790"	240lbs@2.030"	625lbs@1.250"	494	.100"	.780"	1.180"
CT1542ML	Dual	1.580"	1.160"	N/A	.835"	248lbs@2.050"	640lbs@1.270"	503	.100"	.780"	1.200"

L	Damper	1.580"	1.155"	N/A	.755"	250lbs@2.050"	650lbs@1.270"	513	.070"	.780"	1.200"
CT1571ML	Dual	1.590"	1.140"	N/A	.815"	250lbs@2.050"	710lbs@1.270"	590	.100"	.780"	1.200"
CT1572ML	Dual	1.510"	1.085"	N/A	.775"	180lbs@1.980"	650lbs@1.180"	588	.100"	.800"	1.110"
CT1573ML	Dual	1.550"	1.100"	N/A	.775"	220lbs@2.030"	743lbs@1.250"	671	.100"	.780"	1.180"
L	Damper	1.550"	1.100"	N/A	.705"	220lbs@2.030"	730lbs@1.250"	654	.100"	.780"	1.180"
CT1574ML	Dual	1.510"	1.085"	N/A	.760"	180lbs@1.980"	680lbs@1.180"	625	.070"	.800"	1.110"

OVERHEAD CAM ENDURANCE

1500 Series											
Part Number	Description	I.D.				Seat Pressure	Open Pressure	Rate Lb./In.	Retainer Step	Max Lift	Coil Bind
		O.D.	I.D. Outer	Middle	I.D. Inner						
CT1530ML	Dual	1.205"	.910"	N/A	.670"	80lbs@1.250"	255lbs@.730"	337	.000"	.520"	.690"
CT1531ML	Dual	1.205"	.910"	N/A	.670"	110lbs@1.185"	290lbs@.700"	371	.000"	.485"	.650"
CT1532ML	Dual	1.205"	.910"	N/A	.670"	90lbs@1.430"	265lbs@.830"	292	.000"	.600"	.800"
CT1536ML	Dual	1.220"	.910"	N/A	.670"	115lbs@1.420"	309lbs@.850"	340	.000"	.570"	.800"

DRAG SPRINGS

1000 Series											
Part Number	Description	I.D.				Seat Pressure	Open Pressure	Rate Lb./In.	Retainer Step	Max Lift	Coil Blind
		O.D.	I.D. Outer	Middle	I.D. Inner						
DR1047XL	Triple	1.660"	1.195"	.870"	.630"	300lbs@2.070"	900lbs@1.270"	750	.100"	.800"	1.130"
DR1048XL	Triple	1.660"	1.195"	.870"	.630"	338lbs@2.100"	1002lbs@1.200"	738	.100"	.900"	1.130"

1200 Series											
Part Number	Description	I.D.				Seat Pressure	Open Pressure	Rate Lb./In.	Retainer Step	Max Lift	Coil Blind
		O.D.	I.D. Outer	Middle	I.D. Inner						
DR1202D	Single w/Damper	1.220"	.820"	N/A	N/A	190lbs@1.865"	418lbs@1.380"	470	.000"	.485"	1.300"
DR1224	Dual	1.625"	1.175"	N/A	.855"	275lbs@2.000"	750lbs@1.200"	594	.100"	.800"	1.130"
DR1246	Triple	1.645"	1.195"	.870"	.630"	300lbs@2.000"	890lbs@1.200"	738	.100"	.800"	1.110"
DR1247	Triple	1.660"	1.195"	.870"	.630"	340lbs@2.070"	940lbs@1.270"	750	.100"	.800"	1.130"
DR1248	Triple	1.660"	1.195"	.870"	.630"	375lbs@2.100"	1045lbs@1.200"	744	.100"	.900"	1.130"
DR1249	Triple	1.660"	1.195"	.870"	.630"	385lbs@2.200"	1110lbs@1.200"	725	.100"	1.000"	1.130"
DR1250	Triple	1.660"	1.195"	.870"	.630"	395lbs@2.250"	1178lbs@1.200"	746	.100"	1.050"	1.130"

DR1251	Triple	1.660"	1.195"	.870"	.630"	395lbs@2.300"	1176lbs@1.250"	744	.100"	1.050"	1.130"
DR1252ML	Triple	1.660"	1.195"	.870"	.630"	375lbs@2.250"	1230lbs@1.200"	814	.100"	1.050"	1.080"
DR1253ML	Triple	1.630"	1.180"	.870"	.630"	400lbs@2.200"	1160lbs@1.150"	724	.100"	1.050"	1.080"
DR1260ML	Triple	1.675"	1.195"	.870"	.630"	425lbs@2.300"	1255lbs@1.250"	790	.100"	1.050"	1.140"
DR1261ML	Triple	1.675"	1.195"	.870"	.630"	470lbs@2.300"	1275lbs@1.250"	767	.100"	1.050"	1.140"
DR1262ML	Triple	1.710"	1.210"	.870"	.630"	455lbs@2.300"	1400lbs@1.250"	900	.100"	1.050"	1.140"

Titanium Drag Springs

Part Number	Description	O.D.	I.D. Outer	I.D. Middle	I.D. Inner	Seat Pressure	Open Pressure	Rate Lb./In.	Retainer Step	Max Lift	Coil Blind
DR1655	Dual	1.750"	1.186"	N/A	.686"	345lbs@2.250"	1100lbs@1.300"	795	.100"	.950"	1.180"